

READ DIRECTIONS BEFORE USE INGREDIENTS

AQUA-ROOT,™ a combination of non-ionic and non-toxic wetting agents and soil surfactants (alkyl ethoxylates, dodecyl benzene sulfonates and oleic diethanolamides) plus HUMATE , a concentrated humic and fulvic acid product derived from water soluble organid natural soils.

WARRANTY AND LIMITATION OF DAMAGES

AQUA-AID warrants that this material conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use and BUYER assumes the risk of any use contrary to such directions. AQUA-AID makes no other express or implied warranty of FITNESS or of MERCHANTABILITY, and no agent of AQUA-AID is authorized to do so except in writing with a specific reference to this warranty. In no event shall AQUA-AID's liability for any breach of warranty exceed the purchase price of the material as to which a claim is made.

CAUTION

KEEP OUT OF REACH OF CHILDREN . . . MAY BE HARMFUL IF SWALLOWED . . . EYE IRRITANT.

Contains non-ionic wetting agents and surfactants. In case of eye contact, flush with water. If swallowed, give water or milk. Call a physician.

AQUA-ROOT

L I Q U I D

SOIL PENETRATING NUTRIENT CHELATOR

AQUA-ROOT LIQUID is a combination of the non-toxic, non-ionic turf and ornamental wetting agent AQUA-AID and the proven nutrient chelator, HUMATE.

NOT A PLANT FOOD INGREDIENT

AQUA-ROOT LIQUID is a product of AQUA-AID,® Inc.

DIRECTIONS

AQUA-ROOT can be injected through irrigation systems and/or tank mixed for spray application. AQUA-ROOT is effective both in root zone uptake and as a foliar spray.

TURF

Inject one to two quarts of AQUA-ROOT per acre twice the first month. Repeat with one quart to two quarts per acre at 21 to 30 day intervals throughout the growing season.

Tank mix one to two ounces of AQUA-ROOT per 1,000 square feet. Apply two applications the first month. Repeat application at 21 to 30 day intervals throughout the growing season.

Hydroseeding, tank mix one gallon of AQUA-ROOT per acre.

ORNAMENTALS, TREES AND ANNUALS

Inject one to two quarts of AQUA-ROOT per acre of container stock, field stock, and/or B&B stock. Repeat application at 30 day intervals throughout the growing season.

Tank mix one to two ounces of AQUA-ROOT per 1,000 square feet. Apply two applications the first month. Repeat application at 30 day intervals throughout the growing season.

New and established trees, use 1 ounce of AQUA-ROOT per inch diameter every 30 to 45 days throughout the growing season.

Tree fertilization, tank mix one quart of AQUA-ROOT per 100 gallons of liquid fertilizer.

SOD PRODUCTION

Tank mix and/or Inject one to two quarts of AQUA-ROOT per acre of sod. Repeat application at 21 to 30 day intervals throughout the growing season. Apply 2 ounces per 1000 square feet of AQUA-ROOT prior to harvest.

STRESS RELIEF

Tank mix one gallon of AQUA-ROOT per 100 gallons of spray solution and apply to saturation.

GENERAL

AQUA-ROOT is compatible with most chemical mixtures above 5 pH. If in question, mix a test sample first. A de-foamer may be required when tank mixing AQUA-ROOT.

AQUA-AID

NET CONTENTS

AQUA-AID

2.5 GALLONS/9.5 LITERS

AQUA-AID

5484 S. Old Carriage Road, Rocky Mount, NC 27803
252-937-4107 • 800-394-1551

5484 S. Old Carriage Road, Rocky Mount, NC 27803
252-937-4107 • 800-394-1551